

Version: Issue date:

2024-08-21

1.0

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

ION 1: Identification of the substand	ce/mixture and of the company/undertaking		
Product identifier			
Chemical name/ trade name:	OTHP 32		
Producer:	OMA CZ, a.s.		
Address:	Borová 103, 47127, Stráž pod Ralskem,		
Relevant identified uses of the subst	ance or mixture and uses advised against		
Intended use:	Mineral hydraulic oil.		
Uses advised against:	The use should be limited to those listed above.		
Details of the supplier of the safety o	ata sheet		
Supplier of SDS:	OMA CZ, a.s.		
Address:	Stráž pod Ralskem, 47127, Borová 103		
Identification No.:	25406761		
Tel:	+420 487 851 016		
	Product identifier Chemical name/ trade name: Producer: Address: Relevant identified uses of the substa Intended use: Uses advised against: Details of the supplier of the safety d Supplier of SDS: Address: Identification No.:	Chemical name/ trade name:       OTHP 32         Producer:       OMA CZ, a.s.         Address:       Borová 103, 47127, Stráž pod Ralskem,         Relevant identified uses of the substance or mixture and uses advised against       Mineral hydraulic oil.         Intended use:       Mineral hydraulic oil.         Uses advised against:       The use should be limited to those listed above.         Details of the supplier of the safety data sherrer       Supplier of SDS:         Supplier of SDS:       OMA CZ, a.s.         Address:       Stráž pod Ralskem, 47127, Borová 103         Identification No.:       25406761	

#### 1.4 **Emergency telephone number** Toxicology Information Centre, Na Bojišti 1, 120 00 Prague 2. Emergency telephone:+420 224 91 92 93 or +420 224 91 54 02, www.tis-cz.cz

OMA CZ, a.s., laborator@omacz.cz

www.omacz.cz

#### **SECTION 2: Hazards identification**

Responsible person for this SDS:

www:

1.3

it's RightWay...

2.1	Classification of the substance or mixture Classification according to the EC Regulatio	n No. 1272/2008 (CLP):
	The mixture is not classified as hazardous ac	cording to Regulation No. 1272/2008.
2.2	Label elements	
	Labelling according to Regulation (EC) No. 1	272/2008 [CLP]:
	Hazard pictogram(s):	None.
	Signal word(s):	None.
	Contain:	-
	Hazard statement(s):	None.
	Precautionary statement(s):	None.
	Supplemental information:	EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This product does not contain any substances which are classified as PBT or vPvB in a concentration of 0.1% by weight or higher. This product does not contain SVHC in a concentration of 0.1% by weight or higher. This product does not contain endocrine disruptors in a concentration of 0.1% by weight or higher. Flammable product with high flash point.

#### **SECTION 3: Composition/information on ingredients**

#### Mixture of mineral base oils and refining additives 3.2 Mixtures

Name of the component	Content (weight %)	CAS EINECS Index N° Reg. Number	Classification according to Regulation (EC) No. 1272/2008 (CLP)
-----------------------	-----------------------	--	---

OTHP 32

Version:

Issue date:

2024-08-21

1.0

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Zinc bis[O,O-bis(2-ethylhexyl)]	0,24 - 0,3	4259-15-8	Aquatic Chronic 2	H411
bis(dithiophosphate)		224-235-5	Eye Dam. 1	H318
		01-2119493635-27-0000		
Note L: The harmonised classification as a carcin	ogen applies unless it can be sh	nown that the substance contains less than	n 3 % of dimethyl sulphoxide	e extract as measured
by IP 346 ("Determination of polycyclic aromatic.	s in unused lubricating base oil	ls and asphaltene free petroleum fractions	s – Dimethyl sulphoxide extr	action refractive
index method" Institute of Petroleum, London), in	which case a classification in a	accordance with Title II of this Regulation	shall be performed also for	that hazard class.

For full text of H-statements see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### 4.1.1 General advice:

In the event of an accident or if you feel unwell, seek medical attention immediately (if if possible, show this SDS or label).

#### 4.1.2 Inhalation:

LUBLINE®

it´s**RightWay..**.

Move the affected person to fresh air, provide him with rest, prevent hypothermia. Place the unconscious person in a stabilized lateral position, loosen clothing check and maintain airway patency. Administer oxygen if breathing difficulties, use artificial respiration if respiratory arrest. Seek medical attention if difficulty.

#### 4.1.3 Skin contact:

Take off the stained clothing, wash the affected area thoroughly with soap and water and treat with a suitable cream. If symptoms of irritation occur and persist, seek medical attention. NOTES: Place contaminated clothing in a safe place away from heat and ignition sources.

#### 4.1.4 Eye contact:

If the contact lenses are used, carefully remove them and start rinsing with clean water, the affected eye wide open, from the inner corner to the outside and also under the lid for at least 15 minutes. If problems persist, seek medical attention.

#### 4.1.5 Ingestion:

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person or if it has cramps.

#### 4.1.6 Protection of first aiders:

When providing first aid, it is essential to ensure both the rescue and the rescued safety.

4.2 Most important symptoms and effects, both acute and delayed

- No data available.
- **4.3** Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media:Foam, extinguishing powder, CO2, water mist.Unsuitable extinguishing media:Direct water flow - could cause fire to spread.

#### 5.2 Special hazards arising from the substance or mixture

Flammable product with high flash point. In case of fire, dangerous gases may be produced: carbon oxides, nitrogen oxides, sulphur oxides, unidentified thermal decomposition products of higher hydrocarbons. Avoid products of combustion, they can be hazardous to health.

#### 5.3 Advice for firefighters

Do not enter the fire area without protective equipment, including self-contained breathing apparatus breathing apparatus. Use a water shower or mist to cool containers exposed to fire. Avoid leakage of extinguishing waters into the environment.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, replace contaminated clothing. Avoid contact with skin and eyes, contamination of clothes and shoes. Ensure ventilation of the affected area. All persons who do not participate in rescue operations to a safe distance.



OTHP 32

Issue date:

1.0

2024-08-21

it's **RightWay...** 

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

#### 6.2 Environmental precautions

Prevent leakage into the environment, avoid ingress into surface water and sewers, soil and land. In case of leakage into the sewage system or water course, inform immediately its administrator, the police, the fire brigade or the environmental department.

#### 6.3 Methods and material for containment and cleaning up

In case of leakage, localize and, if possible, absorb / remove mechanically. Residues or smaller amounts sweep / get absorbed into a suitable absorbent (universal sorbent, diatomaceous earth, soil, sand) and place in suitable containers and labeled for disposal transmit in accordance with applicable regulations.

#### 6.4 Reference to other sections

See section 7, 8 a 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Wear appropriate PPE. Use in well-ventilated areas with fresh air supply. Do not eat, drink or smoke while working. Wash hands after work. Do not wear soiled clothing. Any contaminated parts of clothing, remove immediately and wash before reuse. Warning: remove contaminated clothing in a safe place well away from heat and ignition sources. Observe legal regulations on occupational health and safety.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in well-sealed original containers in a dry, cool and well-ventilated place place. Store in a place with a non-absorbent substrate. Avoid direct sunlight, sources of heat. Protect the product against contamination and watering. Store the product in a safe away from strong oxidizing agents. Storage temperature :-20 - 40 °C.

#### 7.3 Specific end use(s)

See section 1.2.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

8.1.1 Exposure limits:

According to national legislation of target country.

Substance	CAS	Permissible exposure limits (mg/m³)	Maximum permissible concentration (mg/m³)	Note
Mineral oils	-	5	10	

Substances with Community Exposure Limits:

Substance	CAS	Limit values (mg/m³)		Note
	OEL		STEL	
No data available.				

#### 8.1.2 DNEL

Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS: 4259-15-8)

Exposed group and route of	Duration of exposure	Type of effect	Unit	Value	
exposure		Type of effect	onic	value	
Workers	Workers				
Inhalation	Long-term (chronic)	systemic	mg/m³	6.6	
Dermal	Long-term (chronic)	systemic	mg/kg bw/d	9.6	
Consumers					
Inhalation	Long-term (chronic)	systemic	mg/m³	1.67	



Issue date:

1.0

2024-08-21

OTHP 32 according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

ĺ	Dermal	Long-term (chronic)	systemic	mg/kg bw/d	4.8
	Oral	Long-term (chronic)	systemic	mg/kg bw/d	0.19

Lubricating oils (CAS: 74869-22-0)

Exposed group and route of exposure	Duration of exposure	Type of effect	Unit	Value		
Workers						
Inhalation	Long-term (chronic)	systemic	mg/m³	2.73		
		local	mg/m³	5.58		
Dermal	Long-term (chronic)	systemic	mg/kg bw/d	0.97		
Consumers						
Oral	Long-term (chronic)	systemic	mg/kg bw/d	0.74		

#### PNEC

#### Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS: 4259-15-8)

Component of the environment		PNEC	Unit	Value
Water environment	Freshwater	PNEC water, fresh.	mg/L	0.004
	Freshwater, occasional leakage	PNEC water, fresh.	mg/L	0.044
	Freshwater sediment	PNEC sed., fresh.	mg/kg sediment dw	0.322
	Seawater	PNEC water, mar.	mg/L	0.0046
	Marine sediment	PNEC sed., mar.	mg/kg sediment dw	0.032
Microbiological activity	Wastewater treatment plant	PNEC sew. treat.	mg/L	3.8
Terrestrial environment / organisms	Soil	PNEC soil	mg/kg soil dw	0.062
Food chain	Predators	PNEC oral.	mg/kg food	8.33

Lubricating oils (CAS: 74869-22-0)

Component of the environme	nt	PNEC	Unit	Value
Food chain	Predators	PNEC oral.	mg/kg food	9.33

#### 8.1.3 Biological limit values

Substance	CAS No:	Indicator	Limit Value
No data available.			

#### 8.2 Exposure controls

#### 8.2.1 Technical measures

Technical measures and appropriate work procedures take precedence over personal protective equipment. Observe the usual hygiene principles. Do not eat, drink, smoke. Before breaks and after work wash your hands with warm water and soap.

#### 8.2.2 Individual protection measures

#### Respiratory protection:

If the exposure limits are exceeded, when using dust, fog, aerosol, use a suitable filter (type ABEK -EN 14387 - anti-gas and combined filters, type P -EN 143 - particle filters, type FFP3 / FFP2 - EN 149+A1 - Particle-based half masks; EN 142 - mouth masks). Hand protection:

Protective working gloves (EN 374). Observe the manufacturer's exact instructions, including the time of use. Replace damaged gloves. Eye / face protection:

Safety glasses with side-plates or facial shields (EN 166); eye and face protection for work use (EN ISO 16321). Skin protection:





Issue date:

1.0

2024-08-21

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Working clothes (EN ISO 13688) and footwear (EN ISO 20347 and ISO 20345). Protective clothing against liquid chemicals (EN 14605+A1). Protective clothing against chemicals (EN ISO 13034+A1; 13982-1;943-1+A1).

#### 8.2.3 Thermal hazards:

No data available.

#### 8.2.4 Environmental exposure controls:

Avoid unnecessary releases into the environment.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Property	Value	Method	Note
Physical state:	Liquid		
Colour:	Amber to light brown.		
Odour:	Weak, characteristic		
Odour threshold:	No data available.		
рН :	No data available.		
Melting point / freezing point (°C):	< -36		
Boiling point or initial boiling point and boiling range (°C):	No data available.		
Flash point (°C):	min. 190		
Evaporation rate:	No data available.		
Flammability (gases, liquids and solids):	Flammable		
Lower and upper explosion limit:	Flammability of oil mist at a		
	concentration of about 45 g/m <sup>3</sup>		
Vapour pressure (20 °C):	No data available.		
Vapour pressure (50 °C):	No data available.		
Relative vapour density:	No data available.		
Density and/or relative density (g/cm <sup>3</sup> , 20 °C):	0.87		
Solubility (20 °C):	Insoluble in water, soluble in hydrocarbons.		
Partition coefficient n-octanol/water (log value):	No data available.		
Auto-ignition temperature (°C):	No data available.		
Decomposition temperature (°C):	No data available.		
Kinematic viscosity (mm <sup>2</sup> /s):	31.5 at 40 °C		
Refractive index (20 °C):	No data available.		
Oxidising properties:	No data available.		
Explosive properties:	No data available.		
Particle characteristics:	No data available.		

#### 9.2 Other information

VOC (%):	0
Dry matter content:	No data available.
Additional information:	No data available.

# **9.2.1** Information with regard to physical hazard classes The product has no physical hazards.

### 9.2.2 Other safety characteristics

No data available.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

- Not expected under proper conditions of use.
- 10.2 Chemical stability



Version:

Issue date:

1.0

2024-08-21

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

LUBLINE® it's **RightWay...** 

	Stable under normal conditions.
10.3	Possibility of hazardous reactions
	Dangerous reactions are not known.
10.4	Conditions to avoid
	Open flames, high temperatures, and other sources of ignition.
10.5	Incompatible materials
	Strong oxidizing agents.
10.6	Hazardous decomposition products
	Not known.

#### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Individual components: Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS: 4259-15-8)

Acute toxicity

Test type	Results	Exposure	Tested organisms
OECD 401, key study	3 100 mg/kg bw, LD50	oral: gavage	rat
OECD 402, key study	> 5 000 mg/kg bw, LD50	dermal	rabbit

#### Serious eye damage / irritation

Test type	Results	Exposure	Tested organisms
OECD 405, key study	Category 1 (irreversible effects on	Eye	rabbit
	the eye) based on GHS criteria		

#### Skin corrosion / irritation

Test type	Results	Exposure	Tested organisms
OECD 404, key study	not irritating	Skin	rabbit

#### Respiratory or skin sensitisation

Test type	Results	Exposure	Tested organisms
OECD 406, key study	not sensitising	Skin	guinea pig

#### STOT - repeated exposure

Test type	Results	Exposure	Tested organisms
OECD 407, key study	125 mg/kg bw/day (nominal),	oral	rat
	NOAEL		

#### Germ cell mutagenicity

Test type	Results	Exposure	Tested organisms
OECD 474, key study	negative	intraperitoneal	mouse

#### **Reproductive toxicity**

Test type	Results	Exposure	Tested organisms
	30 mg/kg bw/day, NOAEL 30 mg/kg bw/day, NOAEL	oral: gavage	rat
	So maying bwyday, NOALL		

#### Lubricating oils (CAS: 74869-22-0) Acute toxicity

**OTHP 32** 

Version:

Issue date:

2024-08-21

1.0

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Test type	Results	Exposure	Tested organisms
OECD 401, key study	> 5 000 mg/kg bw, LD50	oral: gavage	rat
OECD 402, key study	> 5 000 mg/kg bw, LD50	dermal	rabbit
OECD 403, key study	2.18 mg/L air	inhalation: aerosol	rat

#### Serious eye damage / irritation

LUBLINE® it's **RightWay...** 

Test type	Results	Exposure	Tested organisms
OECD 405, key study	not irritating	Eye	rabbit

#### Skin corrosion / irritation

Test type	Results	Exposure	Tested organisms
OECD 404, key study	study cannot be used for	Skin	rabbit
	classification		

#### Respiratory or skin sensitisation

Test type	Results	Exposure	Tested organisms
OECD 406, key study	not sensitising	Skin	guinea pig

#### STOT - repeated exposure

Test type	Results	Exposure	Tested organisms
OECD 408, key study	125 mg/kg bw/day (nominal), NOAEL	oral	rat
OECD 412, key study	ca. 220 mg/m³ air (analytical), NOEC > 980 mg/m³ air (analytical), NOAEC	inhalation	rat
OECD 453, key study	100 mg/kg bw/day, LOAEL	dermal	mouse

#### Carcinogenicity

Test type	Results	Exposure	Tested organisms
OECD 451, key study	non-carcinogenic, other:	dermal	mouse

#### Germ cell mutagenicity

Test type	Results	Exposure	Tested organisms
OECD 474, key study	negative	oral gavage or	mouse
		intraperitoneal	
		injection	

#### **Reproductive toxicity**

Test type	Results	Exposure	Tested organisms
OECD 421, key study	>= 1 000 mg/kg bw/day, NOAEL	oral: gavage	rat
	>= 1 000 mg/kg bw/day, NOAEL		

#### Mixture:

Acute toxicity:	The product does not meet the criteria for classification.
Serious eye damage / irritation:	The product does not meet the criteria for classification.

### **OTHP 32**

Version:

Issue date:

2024-08-21

1.0

it's **RightWay**...

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Skin corrosion / irritation:	The product does not meet the criteria for classification.
Respiratory or skin sensitisation:	The product does not meet the criteria for classification.
STOT - single exposure:	The product does not meet the criteria for classification.
STOT - repeated exposure:	The product does not meet the criteria for classification.
Carcinogenicity:	The product does not meet the criteria for classification.
Germ cell mutagenicity:	The product does not meet the criteria for classification.
Reproductive toxicity:	The product does not meet the criteria for classification.
Aspiration hazard:	The product does not meet the criteria for classification.
Information on other hazards	
Endocrine disrupting properties	
This product does not contain endocrine di	sruptors in a concentration of 0.1% by weight or higher.
Other information	

No data available.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

11.2

The product does not meet the criteria for classification.

#### Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS: 4259-15-8)

Toxicity	Tested organisms	Results	Test type
Acute toxicity to fish	Oncorhynchus mykiss	4.4 mg/L, LL50 / 96 h 3.2 mg/L, NOELR / 96 h	OECD 203
Acute toxicity to invertebrates	Daphnia magna	75 mg/L, EL50 / 48 h 32 mg/L, NOELR / 48 h	OECD 202
Acute toxicity to aquatic algae Desmodesmus subspica		410 mg/L, EL50 / 72 h 240 mg/L, EL50 / 72 h	OECD 201

#### Lubricating oils (CAS: 74869-22-0)

Toxicity	Tested organisms	Results	Test type
Acute toxicity to fish	Pimephales promelas	> 100 mg/L, LL50 / 96 h >= 100 mg/L, NOEL: / 96 h	OECD 203
Acute toxicity to invertebrates	Daphnia magna	> 10 000 mg/L, EL50 / 24 h > 10 000 mg/L, EL50 / 48 h >= 10 000 mg/L, NOEL: / 48 h	OECD 202
Acute toxicity to aquatic algae	Raphidocelis subcapitata	>= 100 mg/L, NOEL: / 72 h >= 100 mg/L, NOEL: / 72 h	OECD 201

#### 12.2 Persistence and degradability

There is no data available for the product.

Biotic degradation: Data are not available for substances.

#### 12.3 Bioaccumulative potential

There is no data available for the product. log Kow / log Pow: Data are not available for substances. Bioaccumulation: Data are not available for substances.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

This product does not contain any substances which are classified as PBT or vPvB in a concentration of 0.1% by weight or higher.

#### 12.6 Endocrine disrupting properties

This product does not contain endocrine disruptors in a concentration of 0.1% by weight or higher.



**OTHP 32** 

1.0

2024-08-21

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

#### 12.7 Other adverse effects

No data available.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- 13.1.1 Catalogue No. of substance/mixture waste:

13 01 10 Mineral based non-chlorinated hydraulic oils

#### 13.1.2 Catalog No. of packaging waste:

15 01 02 Plastic packaging

15 01 10 Packaging containing residues of or contaminated by dangerous substances

#### 13.1.3 Recommended procedure for substance/mixture waste disposal:

No data available.

#### 13.1.4 Recommended procedure for packaging disposal:

Empty containers must be disposed of in accordance with the applicable waste legislation. After perfect cleaning, the packaging can be used as a secondary raw material for the same purpose. Recommended way of disposing of recycling, burning in a hazardous waste incinerator or storing hazardous waste.

#### 13.1.5 Physical / chemical properties that may affect waste treatment method: No data available.

#### 13.1.6 Sewage disposal-relevant information:

Protect against weathering. Prevent leakage of waste into the water / soil / sewage system. In case of leakage, inform the competent authorities.

#### 13.1.7 Other disposal recommendations:

Dispose of in accordance with applicable legislation.

#### **SECTION 14: Transport information**

	Type of transport	Land transport ADR / RID	Sea transport IMDG	Air Transport ICAO / IATA
14.1	UN number or ID number	There is no dangerous good in terms of transport.	There is no dangerous good in terms of transport.	There is no dangerous good in terms of transport.
14.2	UN proper shipping name			
14.3	Transport hazard class(es)			
	Hazard identification number	-	-	-
	Labels		I	I
14.4	Packing group			

#### 14.5 **Environmental hazards**

No data available.

Special precautions for user 14.6 No data available.

14.7 Maritime transport in bulk according to IMO instruments Not specified.

#### **SECTION 15: Regulatory information**



Issue date:

2024-08-21

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

all as amended and including implementing regulations

Regulation (EC) No. 1272/2008 (CLP) on classification, labelling and packaging of substances and mixtures,... Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),... Applicable national regulations.

The product contains substance Lubricating oils, that is included in Annex XVII. of REACH Regulation.

#### 15.2 Chemical safety assessment

it's RightWay...

Chemical safety assessment hasn't been made.

#### **SECTION 16: Other information**

# Complete text of all classifications and hazard classes referred to in SECTION 3: Hazard class: Aquatic Chronic 2 - Chronic (long term) aquatic hazard, category 2 Eye Dam. 1 - Serious eye damage, category 1 H-statements: H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. Abbreviations Abbreviations

ADR	Accord Dangereuses Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effect level for 50%
ΙΑΤΑ	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
LD50	Lethal dose for 50%
LL50	Lethal load for 50%
LOAEL	Lowest observable adverse effect level
NOAEC	No observable adverse effect concentration
NOAEL	No observable adverse effect level
NOEC	No observable effect concentration
NOEL	No observable effect level
MPC	Maximum permissible concentration
OEL	Occupational Exposure Limit (workplace exposure limit - 8 hours / shift)
PBT	Persistent, bioacumulative and toxic
PEL	Permissible exposure limits
PNEC	Predicted no-effect concentration
RID	Regulations for the International Carriage of Dangerous Goods by Rail
STEL	Short Term Exposure Limit (short exposure - corresponds to approx. 15 min.)
VOC	Volatile organic Compounds
vPvB	Very persistent and very bioacumulative
WGK	Hazard classes for water (Wassergefährdungsklassen)
TRGS	German standard for the storage of hazardous substances (Technische Regeln für Gefahrstoffe)

#### Changes to previous version SDS:

New SDS developed on the basis of Commission Regulation (EU) 2020/878. The classification was carried out by calculation.

#### Instructions for training

Workers who come into contact with dangerous substances must be aware of the effects of these substances, how they are treated, and protective measures to the extent necessary. Furthermore, they must be familiar with the first aid principles, with the necessary sanitation procedures and with the procedures for disaster and accident elimination. The person handling this chemical product must be familiar with the safety rules and the data given in the safety data sheet.

#### Other information

The above information describes the conditions for safe handling of the product and corresponds to the current knowledge of the manufacturer and serves as instruction for the training of the persons handling the product.

The manufacturer carries guarantee the above-described properties of the product at the recommended use.



Issue date:

2024-08-21

1.0

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

The user is responsible for determining the suitability of the product for specific purposes and adapting security measures if such application is contrary to the manufacturer's recommendations.