

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 04.06.2014 Revision date: 18.10.2022 Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : COYOTE Konkor 101 400 ml  
Product code : CY-1031200003

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Lubricating and preservative oil in aerosol packaging  
Use of the substance/mixture : Lubricants, fats, separating agents  
Function or use category : Aerosol propellants

##### 1.2.2. Uses advised against

Restrictions on use : Not to be used for any purpose other than the one the product was designed for

#### 1.3. Details of the supplier of the safety data sheet

AutoMax Group s.r.o.  
K Hájům 1233/2  
155 00 Praha 5  
T +420 272 700 530 - F +420 272 700 531  
[info.cz@automax-group.com](mailto:info.cz@automax-group.com) - [www.automax-group.com](http://www.automax-group.com)

#### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1  
Aspiration hazard, Category 1  
Full text of H- and EUH-statements: see section 16

H222;H229  
H304


##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified

Hazard statements (CLP)

: H222 - Extremely flammable aerosol.  
H229 - Pressurised container: May burst if heated.  
H304 - May be fatal if swallowed and enters airways.  
Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P261 - Avoid breathing aerosols.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.  
P501 - Dispose of contents and container to as hazardous waste.  
P102 - Keep out of reach of children.

#### 2.3. Other hazards

Other hazards which do not result in classification : The mixture doesn't meet the criteria for classification as PBT or vPvB substances and mixtures.

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Isobutane(75-28-5)	
Propane(74-98-6)	
Butane(106-97-8)	

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077-29	< 60	Asp. Tox. 1, H304
Isobutane (Propellant gas (Aerosol))	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395-27	< 25	Flam. Gas 1, H220 Press. Gas (Liq.), H280
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25	< 15	Not classified
Propane (Propellant gas (Aerosol))	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944-21	< 5	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts	CAS-No.: 1474044-79-5 EC-No.: 939-717-7 REACH-no: 01-2119980985-16	≈ 2,5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Butane (Propellant gas (Aerosol))	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691-32	< 2	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Take care of your own safety. In the event of health problems or in case of doubt, inform the doctor and provide him with the information from this safety data sheet. If unconscious, place the affected person in a stable position on their side, with the head slightly tilted, and ensure the patency of the airways, never induce vomiting. If the affected person vomits on his own, take care not to inhale the vomit.
First-aid measures after inhalation	: Remove person to fresh air and keep them warm and calm.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. If irritation persists, consult a doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Consult an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Do not induce vomiting. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Irritating to respiratory system. Cough. Headache.
Symptoms/effects after skin contact	: irritation (itching, redness, blistering). Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes eye irritation. Redness.

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after ingestion : Irritation, nausea. It can cause death if swallowed and enters the respiratory tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO<sub>2</sub>), powder, alcohol-resistant foam, water spray.  
Unsuitable extinguishing media : Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : If on fire, toxic and flammable gasses and fumes may develop. Perform an urgent evacuation of the building and its surroundings. Notify the Integrated Rescue System. The combustion residues and contaminated extinguishing liquids must be disposed of according to valid regulations. Extremely flammable aerosol.  
Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Exploding canisters can fly up to a distance of tens of meters.

### 5.3. Advice for firefighters

Firefighting instructions : During the fire of the product, keep the safe distance, use suitable breathing protection (isolation device), or self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate area. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Concerning personal protective equipment to use, see section 8.

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Do not allow the mixture to enter into sewer, water system (underground water, surface water) or soil.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Collect all waste in suitable and labelled containers and dispose according to local legislation.

### 6.4. Reference to other sections

See Section 8 and 13 of this safety data sheet.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Do not expose to temperatures exceeding 50 °C/ 122 °F. Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in dry, cool, and well-ventilated areas in the original package. Keep the package closed tightly. Do not store together with drugs, foodstuffs, drinks, and forage. . Keep away from sources of ignition - No smoking.
Storage temperature	: 5 – 30 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Isobutane (75-28-5)	
Ireland - Occupational Exposure Limits	
Local name	Butane, all isomers: Isobutane
OEL STEL	1000 mg/m <sup>3</sup>
OEL STEL [ppm]	1000 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
Propane (74-98-6)	
Ireland - Occupational Exposure Limits	
Local name	Propane
OEL TWA [2]	1000 ppm
Remark	Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)
Regulatory reference	Chemical Agents Code of Practice 2021
Butane (106-97-8)	
Ireland - Occupational Exposure Limits	
Local name	Butane, all isomers: Butane
OEL TWA [2]	1000 ppm
OEL STEL [ppm]	1000 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Butane
WEL TWA (OEL TWA) [1]	1450 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	600 ppm
WEL STEL (OEL STEL)	1810 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	750 ppm
Remark	Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

##### PNEC (Oral)

PNEC oral (secondary poisoning)	9,33 mg/kg
---------------------------------	------------

#### Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts (1474044-79-5)

##### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	≈ 10 mg/kg bw/day
--------------------------------------	-------------------

Long-term - systemic effects, inhalation	≈ 70 mg/m <sup>3</sup>
------------------------------------------	------------------------

##### PNEC (Water)

PNEC aqua (freshwater)	≈ 0,004 mg/l
------------------------	--------------

PNEC aqua (marine water)	≈ 0,4 µg/L
--------------------------	------------

PNEC aqua (intermittent, freshwater)	≈ 0,0027 mg/l
--------------------------------------	---------------

##### PNEC (Sediment)

PNEC sediment (freshwater)	≈ 69 mg/kg dwt
----------------------------	----------------

PNEC sediment (marine water)	≈ 6,9 mg/kg dwt
------------------------------	-----------------

##### PNEC (Soil)

PNEC soil	≈ 13,9 mg/kg dwt
-----------	------------------

##### PNEC (Oral)

PNEC oral (secondary poisoning)	≈ 22,2 mg/kg food
---------------------------------	-------------------

##### PNEC (STP)

PNEC sewage treatment plant	≈ 10 mg/l
-----------------------------	-----------

#### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

##### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	≈ 0,97 mg/kg bodyweight/day
--------------------------------------	-----------------------------

Long-term - systemic effects, inhalation	≈ 2,73 mg/m <sup>3</sup>
------------------------------------------	--------------------------

Long-term - local effects, inhalation	≈ 5,58 mg/m <sup>3</sup>
---------------------------------------	--------------------------

##### DNEL/DMEL (General population)

Long-term - systemic effects, oral	≈ 0,74 mg/kg bodyweight/day
------------------------------------	-----------------------------

Long-term - local effects, inhalation	≈ 1,19 mg/m <sup>3</sup>
---------------------------------------	--------------------------

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Avoid contact with skin and eyes. Do not breathe vapour/aerosol. Do not drink, eat or smoke in the workplace. Ensure good ventilation of the work station. General protective and hygienic measures.

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Not necessary, if the product is used in accordance with section 1.2.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Protective goggles (EN 166). It is not required under normal conditions.

#### 8.2.2.2. Skin protection

##### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Half mask with filter against organic vapors. Self-contained breathing apparatus if exposure limits are exceeded or in poorly ventilated areas.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light brown.
Appearance	: Aerosol.
Odour	: Mineral oil.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: -40 °C
Flammability	: Not available
Explosion limits	: Not available
Lower explosion limit	: 1,4
Upper explosion limit	: 11,2
Flash point	:
Auto-ignition temperature	: Not available
Decomposition temperature	:
pH	: Not available
Viscosity, kinematic	: 12,5 mm <sup>2</sup> /s (40 °C)
Solubility	: Insoluble in water. Partly soluble in solvents and oils.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,75 g/m <sup>3</sup>
Relative density	: 0,75 – 0,79 (20 °C)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 0,25

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Prevent effective ignition sources. Protect from sunlight. Protect from freezing. Sparks. Store at temperatures not exceeding 32 °C.

### 10.5. Incompatible materials

Heat, flames and sparks. Acids and alkalis. Oxidizing materials.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of carbon monoxide - carbon dioxide. Nitrogen oxides.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Based on available data, the classification criteria are not met.  
Acute toxicity (dermal) : Based on available data, the classification criteria are not met.  
Acute toxicity (inhalation) : Based on available data, the classification criteria are not met.

#### Butane (106-97-8)

LC50 Inhalation - Rat	1442 mg/l
-----------------------	-----------

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

LD50 dermal rabbit	> 2000 mg/kg
--------------------	--------------

#### Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts (1474044-79-5)

LD50 oral rat	> 2500 mg/kg
---------------	--------------

LD50 dermal rabbit	> 10000 mg/kg
--------------------	---------------

LC50 Inhalation - Rat (Vapours)	> 9 mg/l/4h
---------------------------------	-------------

Skin corrosion/irritation : Based on available data, the classification criteria are not met.  
Serious eye damage/irritation : Based on available data, the classification criteria are not met.  
Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.  
Germ cell mutagenicity : Based on available data, the classification criteria are not met.  
Carcinogenicity : Based on available data, the classification criteria are not met.  
Reproductive toxicity : Based on available data, the classification criteria are not met.



# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : Based on available data, the classification criteria are not met.  
STOT-repeated exposure : Based on available data, the classification criteria are not met.

### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

NOAEL (oral, rat, 90 days) < 125 mg/kg bodyweight/day

NOAEL (dermal, rat/rabbit, 90 days) > 2000 mg/kg bodyweight/day

NOAEC (inhalation, rat, dust/mist/fume, 90 days) 1 mg/l

Aspiration hazard : May be fatal if swallowed and enters airways.

### COYOTE Konkor 101 400 ml

Viscosity, kinematic 12,5 mm<sup>2</sup>/s (40 °C)

### Propane (74-98-6)

Vaporizer Spray

### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

Viscosity, kinematic ≈ 17 mm<sup>2</sup>/s 40 C

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### 11.2.2. Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Based on available data, the classification criteria are not met.

Hazardous to the aquatic environment, long-term (chronic) : Based on available data, the classification criteria are not met.

### Butane (106-97-8)

LC50 - Fish [1] 24,11 (24,11 – 147,54) mg/l

EC50 - Crustacea [1] 14,22 (14,22 – 69,43) mg/l

EC50 72h - Algae [1] 7,71 (7,71 – 19,37) mg/l

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

LC50 - Fish [1] > 100 mg/l (Pimephales promelas, 96 h)

EC50 - Other aquatic organisms [1] > 10000 mg/l (Gammarus pulex, 24, 48, 72, 96 h)

NOEC chronic fish ≥ 100 mg/l (Pimephales promelas, 96 h)

NOEC chronic crustacea 10 mg/l (Daphnia magna, 21 days)

NOEC chronic algae 1,93 mg/l (Pimephales promelas, 10 min); > 100 mg/l (Pseudokirchneriella subcapitata, 72 h)

### Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts (1474044-79-5)

LC50 - Fish [1] > 0,28 mg/l fresh water

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### Butane (106-97-8)

Persistence and degradability Readily biodegradable.

#### Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts (1474044-79-5)

Biodegradation ≈ 14 % 29 days, Not easily biodegradable

#### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

Biodegradation 4 %

### 12.3. Bioaccumulative potential

#### Butane (106-97-8)

Partition coefficient n-octanol/water (Log Pow) 1,09 – 2,8 (20 °C, pH 7)

#### Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts (1474044-79-5)

Partition coefficient n-octanol/water (Log Pow) > 6,6

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Collect all waste in suitable and labelled containers and dispose according to local legislation. Container under pressure. Do not drill or burn even after use.

European List of Waste (LoW) code : 20 01 26\* - oil and fat other than those mentioned in 20 01 25  
15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
<b>14.2. UN proper shipping name</b>				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>Transport document description (ADR)</b>				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
<b>14.3. Transport hazard class(es)</b>				
2.1	2.1	2.1	2.1	2.1
				
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

#### Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

#### Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ERG code (IATA) : 10L

### Inland waterway transport

Classification code (ADN) : 5F  
Special provisions (ADN) : 190, 327, 344, 625  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E0  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01, VE04  
Number of blue cones/lights (ADN) : 1

### Rail transport

Classification code (RID) : 5F  
Special provisions (RID) : 190, 327, 344, 625  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0  
Packing instructions (RID) : P207, LP200  
Special packing provisions (RID) : PP87, RR6, L2  
Mixed packing provisions (RID) : MP9  
Transport category (RID) : 2  
Special provisions for carriage – Packages (RID) : W14  
Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12  
Colis express (express parcels) (RID) : CE2  
Hazard identification number (RID) : 23

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### VOC Directive (2004/42)

VOC content : 0,25

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

Not available.

## SECTION 16: Other information

### Indication of changes

Section	Changed item	Change	Comments
1-6	SDS EU format according to COMMISSION REGULATION (EU) 2020/878	Modified	18.10.2022

### Abbreviations and acronyms:

CAS-No.	Chemical Abstract Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC-No.	European Community number
EC50	Median effective concentration
IATA	International Air Transport Association
LC50	Median lethal concentration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: ECHA Guidance on the compilation of safety data sheets  
ECHA C&L Inventory database. Supplier's safety documents.

Other information

: Prior to using this product, read the Safety Recommendations included herein and in the box of the product.

This product has to be handled carefully and only used by authorised workers who hold the official accreditation when so required by law.

The product must be stored, handled and used in accordance with the procedures of good industrial hygiene practices and pursuant to the applicable legal regulations.

### Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Gas 1A	Flammable gases, Category 1A
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.

# COYOTE Konkor 101 400 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Aerosol 1	H222;H229	Expert judgment
Asp. Tox. 1	H304	Expert judgment

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.