

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**Chemical name/ trade name: **GREASE Li 00X**Producer: **OMA CZ, a.s.**Address: **Stráž pod Ralskem, 47127, Borová 103****1.2 Relevant identified uses of the substance or mixture and uses advised against**

Intended use: Plastic lubricant

Uses advised against: The use should be limited to those listed above.

1.3 Details of the supplier of the safety data sheet

Supplier of SDS: OMA CZ, a.s.

Address: Stráž pod Ralskem, 47127, Borová 103

Identification No.: 25406761

Tel: +420 487 851 016

www: www.omacz.cz

Responsible person for this SDS: OMA CZ, a.s., laborator@omacz.cz

1.4 Emergency telephone number**National Poisons Information Service (NPIS), Royal Infirmary of Edinburgh, Edinburgh EH16 4SA, United Kingdom, Tel.: +44 121 507 4123, 844 892 0111****SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****The product is not classified as hazardous according to Regulation (EC) No 1272/2008 (CLP).****2.2 Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard pictogram(s): None.

Signal word(s): None.

Contain: -

Hazard statement(s): None.

Precautionary statement(s): None.

Supplemental information: EUH210 Safety data sheet available on request.

2.3 Other hazards

This product does not contain any substances which are classified as PBT or vPvB in a concentration of 0.1% by weight or higher.

This product does not contain SVHC in a concentration of 0.1% by weight or higher.

This product does not contain endocrine disruptors in a concentration of 0.1% by weight or higher.

SECTION 3: Composition/information on ingredients

SAFETY DATA SHEET

GREASE Li 00X

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0
Issue date: 2023-05-24

3.2 Mixtures

Name of the component	Content (weight %)	CAS EINECS Index N° Reg. Number	Classification according to Regulation (EC) No. 1272/2008 (CLP)	
			Acute Tox. 4	H302
Dilithium azelate	< 2.5	38900-29-7 254-184-4 01-2120119814-57-XXXX	Acute Tox. 4	H302

For full text of H-statements see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1.1 General advice:

In any case, avoid chaotic behavior. If you need medical treatment, always take the original package with the label or the safety data sheet. In life-threatening conditions, first resuscitate the affected person and arrange for medical assistance. Breathing - Immediately perform artificial respiration. Heart arrest - Immediately perform an indirect heart massage. Unconscious - place the affected person in a stabilized position on the side. It is always necessary to assess the situation with regard to the patient's own safety and safety. Only enter the infested area if we have adequate protection (insulating respirator, mask with the appropriate filter, protection by another worker, etc.) ATTENTION! Whenever it is a poorly ventilated area, it is important to consider the possibility that the room is infested! When handling contaminated clothing or other items, protect it with adequate personal protective equipment, including gloves. First aid should not be carried out at the place where the accident occurred, if there is a risk of the rescuer being contaminated.

4.1.2 Inhalation:

Break Exposure. Remove victim to fresh air, keep calm and warm.

4.1.3 Skin contact:

Remove contaminated clothing and footwear. Wash the affected skin with water and soap. If there is irritation, seek medical attention.

4.1.4 Eye contact:

If the contact lenses are used, carefully remove them and start rinsing with clean water, the affected eye wide open, from the inner corner to the outside and also under the lid for at least 15 minutes. If problems persist, seek medical attention.

4.1.5 Ingestion:

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person or if it has cramps.

4.1.6 Protection of first aiders:

When providing first aid, it is essential to ensure both the rescue and the rescued safety.

4.2 Most important symptoms and effects, both acute and delayed

None.

4.3 Indication of any immediate medical attention and special treatment needed

Inducing vomiting and gastric lavage are contraindicated. The application of charcoal is ineffective. The affected person is continuously monitored for 48 to 72 hours. Monitoring for signs of pulmonary oedema begins 6 hours after ingestion or inhalation and continues for at least 48 to 72 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Foam, extinguishing powder, CO₂, water mist.
Unsuitable extinguishing media: Direct water flow - could cause fire to spread.

5.2 Special hazards arising from the substance or mixture

Dangerous fumes can form when burning.

5.3 Advice for firefighters

Respiratory units exposed to smoke or vapors must be equipped with respiratory and eye protection devices. When using in enclosed areas, an insulating respirator must be used. Containers exposed to fire cool with water mist. Collect extinguishing water separately, and avoid its penetration into the soil and water. Chemical protective clothing (EN 469).

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, replace contaminated clothing. Avoid contact with skin and eyes, contamination of clothes and shoes. Ensure ventilation of the affected area. All persons who do not participate in rescue operations to a safe distance.

6.2 Environmental precautions

Prevent leakage into the environment, avoid ingress into surface water and sewers, soil and land. In case of leakage into the sewage system or water course, inform immediately its administrator, the police, the fire brigade or the environmental department.

6.3 Methods and material for containment and cleaning up

In case of leakage, localize and, if possible, absorb / remove mechanically. Residues or smaller amounts sweep / get absorbed into a suitable absorbent (universal sorbent, diatomaceous earth, soil, sand) and place in suitable containers and labeled for disposal transmit in accordance with applicable regulations.

6.4 Reference to other sections

See section 7, 8 a 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Use appropriate PPE. Use only in well-ventilated areas with fresh air intake or with adequate ventilation. Do not eat, drink, smoke. After working, wash your hands. Comply with regulations on health and safety at work.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original containers in a dry, cool and well-ventilated place. Do not store with food, drink or feed. Do not store with strong acids and bases. Recommended storage temperature < 45 °C. Store away from heat, sparks, open flames.

7.3 Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

Exposure limits: According to national legislation of target country.

Substance	CAS	Permissible exposure limits (mg/m ³)	Maximum permissible concentration (mg/m ³)	Note
No data available.				

Substances with Community Exposure Limits:

SAFETY DATA SHEET

GREASE Li 00X

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0
Issue date: 2023-05-24

Substance	CAS	Limit values (mg/m ³)		Note
		OEL	STEL	
No data available.				

DNEL

Dilithium azelate (CAS: 38900-29-7)

Exposed group and route of exposure	Duration of exposure	Type of effect	Unit	Value
Consumers				
Dermal	Long-term (chronic)	systemic	mg/kg bw/d	-
	Short-term (acute)	systemic	mg/kg bw/d	0.023 mg/cm ²

PNEC

Dilithium azelate (CAS: 38900-29-7)

Component of the environment	PNEC	Unit	Value
Water environment	PNEC _{water, fresh.}	mg/L	0.023
	PNEC _{water, fresh.}	mg/L	0.23
	PNEC _{water, mar.}	mg/L	0.002

8.2 Exposure controls

8.2.1 Technical measures

Technical measures and appropriate work procedures take precedence over personal protective equipment. Observe the usual hygiene principles. Do not eat, drink, smoke. Before breaks and after work wash your hands with warm water and soap.

8.2.2 Individual protection measures

Respiratory protection:

If the exposure limits are exceeded, when using dust, fog, aerosol, use a suitable filter (type ABEK -EN 14387 - anti-gas and combined filters, type P -EN 143 - particle filters, type FFP3 / FFP2 - EN 149+A1 - Particle-based half masks; EN 142 - mouth masks).

Hand protection:

Protective working gloves (EN 374). Observe the manufacturer's exact instructions, including the time of use. Replace damaged gloves.

Eye / face protection:

Safety glasses with side-plates or facial shields (EN 166).

Skin protection:

Working clothes (EN ISO 13688) and footwear (EN ISO 20347). Protective clothing against liquid chemicals (EN 14605+A1). Protective clothing against chemicals (EN ISO 14325).

8.2.3 Thermal hazards:

No data available.

8.2.4 Environmental exposure controls:

Avoid unnecessary releases into the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Property	Value	Method	Note
Physical state:	Paste, semi-solid		
Colour:	Yellow		
Odour:	No data available.		
Odour threshold:	No data available.		
pH :	No data available.		

SAFETY DATA SHEET

GREASE Li 00X

Version: 1.0
Issue date: 2023-05-24

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Melting point / freezing point (°C):	No data available.		
Boiling point or initial boiling point and boiling range (°C):	No data available.		
Flash point (°C):	> 150		
Evaporation rate:	No data available.		
Flammability (gases, liquids and solids):	No data available.		
Lower and upper explosion limit:	No data available.		
Vapour pressure (20 °C):	No data available.		
Vapour pressure (50 °C):	No data available.		
Relative vapour density:	No data available.		
Density and/or relative density (g/cm ³ , 25 °C):	< 1		
Solubility (20 °C):	No data available.		
Partition coefficient n-octanol/water (log value):	No data available.		
Auto-ignition temperature:	No data available.		
Decomposition temperature:	No data available.		
Kinematic viscosity (mm ² /s):	> 20,5 at 40 °C		
Refractive index (20 °C):	No data available.		
Oxidising properties:	No data available.		
Explosive properties:	No data available.		
Particle characteristics:	No data available.		

9.2 Other information

VOC (%): 0
Dry matter content: No data available.
Additional information: No data available.

9.2.1 Information with regard to physical hazard classes

The product has no physical hazards.

9.2.2 Other safety characteristics

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Not expected under proper conditions of use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Dangerous reactions are not known.

10.4 Conditions to avoid

Direct sunlight, extremely low or high temperatures.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

None under normal handling.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Individual components

Dilithium azelate (CAS: 38900-29-7)

SAFETY DATA SHEET

GREASE Li 00X

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0
Issue date: 2023-05-24

Acute toxicity

Test type	Results	Exposure	Tested organisms
OECD 420, key study	> 300 mg/kg bw, LD50	oral: gavage	rat
OECD 402, key study	> 2 000 mg/kg bw, Acute Toxicity Estimate	dermal	rat

Serious eye damage / irritation

Test type	Results	Exposure	Tested organisms
OECD 405, key study	GHS criteria not met	Eye	rabbit

Skin corrosion / irritation

Test type	Results	Exposure	Tested organisms
OECD 439, key study	GHS criteria not met	Skin	other: EPISKIN-SM Human epidermis model (Lot no: 15-EKIN-016)

Respiratory or skin sensitisation

Test type	Results	Exposure	Tested organisms
OECD 429, key study	GHS criteria not met	Skin	mouse

STOT - single exposure

Test type	Results	Exposure	Tested organisms
	No data available.		

STOT - repeated exposure

Test type	Results	Exposure	Tested organisms
supporting study	1 000 mg/kg bw/day (nominal), NOAEL 88 mg/kg bw/day (nominal), NOAEL 18 mg/kg bw/day (nominal), NOAEL	oral	rat
OECD 422, key study	1 089.75 mg/kg bw/day, NOAEL 111.25 mg/kg bw/day, NOAEL	dermal	rat

Carcinogenicity

Test type	Results	Exposure	Tested organisms
	No data available.		

Germ cell mutagenicity

Test type	Results	Exposure	Tested organisms
OECD 473, key study	negative	In vitro	lymphocytes: human

Reproductive toxicity

Test type	Results	Exposure	Tested organisms

SAFETY DATA SHEET

GREASE Li 00X

Version: 1.0
Issue date: 2023-05-24

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

OECD 422, key study	> 1 089.75 mg/kg bw/day, NOAEL 111.25 mg/kg bw/day, other: > 1 089.75 mg/kg bw/day, NOAEL	dermal	rat
---------------------	---	--------	-----

Aspiration hazard

Test type	Results	Exposure	Tested organisms
	No data available.		

mixture

Acute toxicity:	The product does not meet the criteria for classification.
Serious eye damage / irritation:	The product does not meet the criteria for classification.
Skin corrosion / irritation:	The product does not meet the criteria for classification.
Respiratory or skin sensitisation:	The product does not meet the criteria for classification.
STOT - single exposure:	The product does not meet the criteria for classification.
STOT - repeated exposure:	The product does not meet the criteria for classification.
Carcinogenicity:	The product does not meet the criteria for classification.
Germ cell mutagenicity:	The product does not meet the criteria for classification.
Reproductive toxicity:	The product does not meet the criteria for classification.
Aspiration hazard:	The product does not meet the criteria for classification.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain endocrine disruptors in a concentration of 0.1% by weight or higher.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

The product does not meet the criteria for classification.

Dilithium azelate (CAS: 38900-29-7)

Toxicity	Tested organisms	Results	Test type
Acute toxicity to fish	<i>Cyprinus carpio</i>	> 100 mg/L, LC50 / 96 h	OECD 203
Acute toxicity to invertebrates	<i>Daphnia magna</i>	> 100 mg/L, EC50 / 48 h	OECD 202
Acute toxicity to aquatic algae	<i>Pseudokirchneriella subcapitata</i>	5.8 mg/L, EC10 / 72 h 23 mg/L, EC50 / 72 h 3.2 mg/L, NOEC / 72 h 3.9 mg/L, EC10 / 72 h 8.2 mg/L, EC50 / 72 h 3.2 mg/L, NOEC / 72 h	OECD 201
Biotic degradation		Readily biodegradable (100%)	
log Kow / log Pow		-3.4 @ 20 °C	

12.2 Persistence and degradability

There is no data available for the product.

Biotic degradation: The biodegradability of the component is given in sec. 12.1

12.3 Bioaccumulative potential

There is no data available for the product.

log Kow / log Pow: The value of the partition coefficient of the component is given in sec. 12.1



SAFETY DATA SHEET

GREASE Li 00X

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0
Issue date: 2023-05-24

Bioaccumulation: Data are not available for substances.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This product does not contain any substances which are classified as PBT or vPvB in a concentration of 0.1% by weight or higher.

12.6 Endocrine disrupting properties

This product does not contain endocrine disruptors in a concentration of 0.1% by weight or higher.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Catalogue No. of substance/mixture waste:

13 08 99 Wastes not otherwise specified

13.1.2 Catalog No. of packaging waste:

15 01 10 Packaging containing residues of or contaminated by dangerous substances

13.1.3 Recommended procedure for substance/mixture waste disposal:

No data available.

13.1.4 Recommended procedure for packaging disposal:

Empty containers must be disposed of in accordance with the applicable waste legislation. After perfect cleaning, the packaging can be used as a secondary raw material for the same purpose. Recommended way of disposing of recycling, burning in a hazardous waste incinerator or storing hazardous waste.

13.1.5 Physical / chemical properties that may affect waste treatment method:

No data available.

13.1.6 Sewage disposal-relevant information:

Protect against weathering. Prevent leakage of waste into the water / soil / sewage system. In case of leakage, inform the competent authorities.

13.1.7 Other disposal recommendations:

Dispose of in accordance with applicable legislation.

SECTION 14: Transport information

	Type of transport	Land transport ADR / RID	Sea transport IMDG	Air Transport ICAO / IATA
14.1	UN number or ID number	There is no dangerous good in terms of transport.	There is no dangerous good in terms of transport.	There is no dangerous good in terms of transport.
14.2	UN proper shipping name			
14.3	Transport hazard class(es)			
	Classification code	-	-	-
	Labels			
14.4	Packing group			

14.5 Environmental hazards

Yes.

SAFETY DATA SHEET

GREASE Li 00X

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0
Issue date: 2023-05-24

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not specified.

Other information

Type of transport	Land transport ADR / RID	Sea transport IMDG	Air Transport ICAO / IATA
Limited quantities:			
Excepted quantities:			
Transport category:		-	-
Tunnel restriction code:		-	-
Segregation group:	-		-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

all as amended and including implementing regulations

Regulation (EC) No. 1272/2008 (CLP) on classification, labelling and packaging of substances and mixtures,...

Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),...

Applicable national regulations.

15.2 Chemical safety assessment

Chemical safety assessment hasn't been made.

SECTION 16: Other information

Complete text of all classifications and hazard classes referred to in SECTION 3

Hazard class: Acute Tox. 4 - Acute Toxicity, category 4

H-statements: H302 Harmful if swallowed.

Abbreviations

ADR	Accord Dangereuses Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Effect concentration for 50%
EINECS	European Inventory of Existing Commercial Chemical Substances
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
LC50	Lethal concentration for 50%
LD50	Lethal dose for 50%
NOAEL	No observable adverse effect level
NOEC	No observable effect concentration
NPK-P	Maximum permissible concentration
OEL	Occupational Exposure Limit (workplace exposure limit - 8 hours / shift)
PBT	Persistent, bioaccumulative and toxic
PEL	Permissible exposure limits
PNEC	Predicted no-effect concentration
RID	Regulations for the International Carriage of Dangerous Goods by Rail
STEL	Short Term Exposure Limit (short exposure - corresponds to approx. 15 min.)
VOC	Volatile organic substances

SAFETY DATA SHEET

GREASE Li 00X

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0

Issue date: 2023-05-24

vPvB Very persistent and very bioaccumulative
WGK Hazard classes for water (Wassergefährdungsklassen)

Changes to previous version SDS:

New SDS based on Commission Regulation (EU) 2020/878. The classification has been performed by calculation method.

Instructions for training

Workers who come into contact with dangerous substances must be aware of the effects of these substances, how they are treated, and protective measures to the extent necessary.

Furthermore, they must be familiar with the first aid principles, with the necessary sanitation procedures and with the procedures for disaster and accident elimination.

The person handling this chemical product must be familiar with the safety rules and the data given in the safety data sheet.

If a hazardous chemical / mixture is classified as corrosive or toxic, workers should be made aware of the Corrosive / Toxic Chemicals / Mixing Rules.

Persons carrying dangerous substances must be familiar with the ADR / RID accident instructions.

Other information

The above information describes the conditions for safe handling of the product and corresponds to the current knowledge of the manufacturer and serves as instruction for the training of the persons handling the product.

The manufacturer carries guarantee the above-described properties of the product at the recommended use.

The user is responsible for determining the suitability of the product for specific purposes and adapting security measures if such application is contrary to the manufacturer's recommendations.