

According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 2015/830

Product name: KONKOR 222
Date of issue: 26. 05. 2008

Revision date: 8. 1. 2019 (Version 3.2)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product Identifier

### **KONKOR 222**

Chemical name:

Mixtures

Registration No.:

None

Index No.:

None

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Designated uses: Temporary protective against corrosion

Uses of the mixture not recommended: The product may not be used in any way other than those specified in sections 1 and 7.

### 1.3 Details of the supplier of the safety data sheet

Name: PARAMO, a.s.

Place of business: Přerovská 560, 530 06 Pardubice, Czech Republic

Phone: +420 466 810 111

Fax: +420 466 335 019

E-mail: paramo@paramo.cz

Website: www.paramo.cz

Person(s) responsible for this Safety Data Sheet: bl@paramo.cz

#### 1.4 Emergency telephone number

Control Room of PARAMO, a. s.: +420 466 303 175

Toxicological Information Centre at Na Bojišti 1, 128 08 Prague 2, phone (Czech Republic only) (24 hours, 7

days a week): +420 224 919 293, 224 915 402, 224 914 575

Transport Information & Accident System (TRINS), phone: +420 476 709 826

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

According to 1272/2008 (CLP) the product is not classified as hazardous.

## 2.2 Label elements

Pictogram: None

Warning description: None

Dangerous substances: Contains Sulfonic acids, petroleum, calcium salts. May cause an allergic reaction.

Standard phrases of hazard:

None

### Safe handling instructions:

P280 Wear protective gloves.

### Other requirements

None

## 2.3 Other hazards

The product is not persistent, bioaccumulative and toxic chemical substance or very persistent and very bioaccumulative chemical substance according to the criteria set out in Annex XIII to the EC (PBT, vPvB).

Flammable liquid: Prolonged or frequently repeated exposure to this product may cause eye and skin irritation. The inhalation of oil mist may irritate the breathing passages. This product is not assumed to have long-term adverse ecological effects.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

The product is not the substances



According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 2015/830

Product name: KONKOR 222
Date of issue: 26. 05. 2008

Revision date: 8. 1. 2019 (Version 3.2)

### 3.2 Mixtures

#### **Chemical characteristics**

The mixture of the following substances and admixtures:

The mixture contains these hazardous substances and substances with the highest admissible concentrations in the working atmosphere.

Identification numbers	Substance name	Content in % weigh	Classification according to (ES) č. 1272/2008	Note.
EC: 265-077-7 CAS: 64741-76-0 Registration number: 01-2119486951-26	Base oil, unspecified	50 - 95	Asp. Tox. 1, H304	L
EC: 263-093-9 CAS: 61789-86-4 Registration number: 01-2119488992-18	Sulfonic acids, petroleum, calcium salts	1 - 4.9	Skin Sens. 1, H317, c > 10 %	
EC: 918-167-1 CAS: 246538-76-1 Registration number: 01-2119472146-36	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	0.1 - 10	EUH066 Flam. Liq. 3, H226 Asp. Tox. 1, H304	

Note. L: The mineral oil DMSO value <3% - it is not classified as carcinogenic.

Full texts of H-phrases are quoted in Section 16.

### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

If the first aid treatment is to be administered, release tight clothing and keep the exposed person warm and at rest. If conscious, place the exposed person to the stabilised position and get prompt medical attention. In case of cardiac arrest, apply cardiac massage and call medical assistance immediately. If unconscious but breathing, place the exposed person to the stabilised position and call medical assistance immediately.

## The first aid instructions are structured according to separate exposure ways:

Inhalation: In case of inhalation of the aerosol, dispose of the affected person to fresh air.

**Skin contact:** In case of contact with the skin, wash the affected area thoroughly with water and soap and treat with a suitable cream.

**Contact with eyes**: Check for contact lenses and remove them, if present. Rinse the eyes thoroughly with ample quantity of clean (lukewarm, if possible) water for at least 15 minutes. If eye irritation persists, seek medical assistance.

Ingestion: Rinse mouth with water, never induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

An allergic skin reaction may occur.

### 4.3 Indication of any immediate medical attention and special treatment needed

Inhalation: Check for breathing and pulse rate of the affected person. Do not induce vomitting.

**Ingestion and inhalation:** Contraindications: induced vomiting and gastric irrigation. Administration of medicinal charcoal has no effect. The affected person must be monitored at least for the period of 48 to 72 hours. Monitoring for pulmonary oedema symptoms starts six hours after the ingestion/inhalation and it continues at least for the period of 48 to 72 hours.

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

**Suitable extinguishing means:** Heavy, medium and light air-mechanical foam, type B or C fire-extinguishing powders.

Unsuitable extinguishing means: Water stream.

#### 5.2 Special hazards arising from the substance or mixture

Products of combustion and hazardous gases: smoke, carbon monoxide, carbon dioxide, nitrogen oxide, sulphur oxide and phosphorus oxide.



According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 2015/830

**KONKOR 222** Date of issue: 26, 05, 2008

Revision date: 8. 1. 2019 (Version 3.2)

### 5.3 Advice for firefighters

Intervention units exposed to smoke or gases must be equipped with protective means to protect the respiratory system and eyes. It is necessary to use an insulating respirator in case of intervention in closed rooms.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

Prevent any contamination of clothing/footwear with the product; prevent any contact with skin and eyes. Use suitable protective clothing; if contaminated, change the clothing immediately. Remove any potential source of ignition. Strictly no smoking or naked flames. If possible, larger spills may be covered with foam in order to control the creation of vapours and aerosols. Provide for good ventilation of the affected areas. All persons not taking part in rescue operations must be kept away to a sufficient distance.

### 6.2 Environmental precautions

Act as quick as possible, do not allow to enter drains, underground water or watercourses and soil by enclosing the affected area (damming, closing of gulleys). Notify the relevant authorities.

### 6.3 Methods and material for containment and cleaning up

If possible, contain the spillage and pump off or remove the product mechanically or draw it off the water surface. Let absorb any residua or smaller quantities to a suitable sorbent (Vapex, Chezacarb, saw dust, sand) and place it into labelled containers for further disposal in accordance with the relevant waste disposal legislation.

#### 6.4 Reference to other sections

Apart from the instruction set out in this Section, other important information is shown in section 8 - EXPO-SURE CONTROLS AND SECTION 13 - DISPOSAL CONSIDERATIONS.

#### **SECTION 7: HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

The building must be equipped in accordance with the respective ČSN 75 3415 standard. It is prohibited to handle an open fire or smoke. When handling heavy packaging, use appropriate handling means and exclude the possibility of slipping. Prevent the spilling of the product - risk of slipping. Keep safety distance from the sources of ignition.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in properly sealed packaging in a place protected from rain, dust, heat and other weather conditions. The maximum storage temperature is 46 °C.

## 7.3 Specific end use(s)

Protection of ferrous and non-ferrous metals against atmospheric corrosion

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

The mixture contains substances for which exposure limits are set for the working environment.

AGW (Germany, TRGS 900) Sulfonic acids, petroleum, calcium salts: Aalveolengängige Fraktion 5 mg/m<sup>3</sup>

PEL (Czech Rep., Government Regulation No. 246/2018 Sb.) NPK-P (Czech Rep., Government Regulation No. 246/2018 Sb.)

gasolines: 1000 mg/m<sup>3</sup> PEL (Czech Rep., Government Regulation No. 246/2018 Sb.) mineral oil (aerosols): 5 mg/m<sup>3</sup>

NPK-P (Czech Rep., Government Regulation No. 246/2018 Sb.)

mineral oil (aerosols): 10 mg/m<sup>3</sup> mineral oil (aerosols): 5 mg/m<sup>3</sup>

gasolines: 400 mg/m<sup>3</sup>

AGW (Germany, TRGS 900) NDS (Poland, Dz.U. 2014 poz. 817)

mineral oil (aerosols): 5 mg/m<sup>3</sup>

NPEL - short-time (Slovakia, Government Regulation No. 355/2006 Coll.) mineral oil (aerosols): 3 mg/m<sup>3</sup>

mineral oil (aerosols): 1 mg/m<sup>3</sup>

NPEL - average (Slovakia, Government Regulation No. 355/2006 Coll.)



According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 2015/830

Product name: KONKOR 222
Date of issue: 26. 05. 2008

Revision date: 8. 1. 2019 (Version 3.2)

Base oil, unspecified

DNEL inhalation/workers/long-term local influence: (aerosol) 5.4 mg/m³
DNEL inhalation/public/long-term local influence: (aerosol) 1.2 mg/m³
PNEC (oral predators): 9.33 mg/kg food

### 8.2 Exposure controls

Observe general safety and hygienic measures; do not eat, drink and smoke at work. After washing the skin with warm water and soap, treat it preventively with a regeneration cream.

Eye/face protection: Use protective goggles or safety eyewear (face shield).

**Skin protection**: Use protective gloves resistant against oil products and tested according to EN 374; best of all made of nitrile or neoprene rubber.

**Respiratory protection**: Not necessary, if the vapour concentration in air is less than the concentration limits. If the opposite is the case or aerosols are created, use emergency escape mask with A, AX (brown) filters or any other mask types suitable of protecting against organic gases and vapours.

Thermal hazard: None

**Environmental exposure controls**: It is necessary to prevent leakage into the environment by all available means.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

Appearance:

State: liquid
Colour: brown
Odour: without odor
Odour threshold value: not determined

pH: no determination necessary

Pour point: -6 °C

Initial boiling point and boiling range: not determined

Flash point OK: > 100 °C

Vaporisation rate: not determined

Flammability: IV. Class

Upper/lower explosion or flammability limits: not determined

Vapour pressure: < 10 Pa at 20 °C
Vapour density: not determined
Relative density: 868 kg/m³ at 15 °C
Solubility: insoluble in water

Separation factor: n-octanol/water: not determined

Self-ignition temperature: 350 °C

Decomposition temperature: not determined Viscosity/40 °C: 22.0 – 29.0 mm²/s Explosive properties: not explosive Oxidation properties: not oxidising

9.2 Other information

Combustion point: 200 °C

### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:** No reactivity danger exists.

**10.2 Chemical stability**: Stable under recommended storage and handling conditions.

**10.3 Possibility of hazardous reactions:** No dangerous reactions are possible.



According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 2015/830

Product name: KONKOR 222
Date of issue: 26. 05. 2008

Revision date: 8. 1. 2019 (Version 3.2)

**10.4 Conditions to avoid:** Creation of concentrations within the explosion limits, presence of ignition sources

and contact with a naked flame.

10.5 Incompatible materials: Strong oxidisers.

**10.6 Hazardous decomposition products:** Under normal conditions: none; if burning under deficiency of air, carbon monoxide may be formed.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

Base oil, unspecified

**Acute toxicity:** oral toxicity (rat)  $LD_{50} > 5\,000$  mg/kg (OECD 401)

dermal toxicity (rabbit)  $LD_{50} > 2~000$  mg/kg (OECD 402) inhalation toxicity (rabbit)  $LC_{50} > 5~000$  mg/m $^3$  (OECD 403)

Chronic toxicity: chronic inhalation toxicity NOAEC > 220 mg/m³ (OECD 412) Skin corrosion/irritation: OECD 404 test results proved no the skin irritation. Serious eye damage/irritation: OECD 405 test results proved no eye irritation.

**Respiratory or skin sensitization:** the respiratory organ sensitisation data are missing, but no such sensitisation is expected. As regards the sensitisation by skin contact, OECD 406 tests were made and no sensitisation proved.

Germ cell mutagenicity: Tests of genetic toxicity in vitro and in vivo showed mutagenicity in germ cells

Carcinogenicity: It is not carcinogenic for dermal or inhalation exposure.

Reproduction toxicity: The substance is not toxic for reproduction

**STOT – single exposure**: not determined **STOT – repeated exposure**: not determined

**Aspiration hazards:** May be fatal if swallowed and enters airways.

### **SECTION 12: ECOLOGICAL INFORMATION**

Based on acute toxicity of invertebrates and algae, the product is not classified as toxic to the environment.

### 12.1 Toxicity

Base oil, unspecified

Acute toxicity for aquatic environment: fish -  $LL_{50}$  (96 hrs) > 100 mg/l, NOEL  $\geq$  100 mg/l (OECD 203)

algae  $EL_{50}$  (72 hrs)  $\geq$  100 mg/l (OECD 201)

invertebrates EL $_{50}$  (48 hrs) > 10 000 mg/l, NOEL  $\geq$  1000 mg/l (OECD 202)

Chronic toxicity for aquatic environment: invertebrates NOELR (21 days) 10 mg/l, fish NOEL (21 days) 10 mg/l Toxicity for soil microorganisms and for soil macroorganisms: none

- **12.2 Persistence and degradability:** Not expected the substance is not soluble in water.
- **12.3 Bioaccumulative potential:** Not expected the substance is biodegradable.
- **12.4 Mobility in soil:** Not expected the substance is biodegradable.
- **12.5 Results of PBT and vPvB assessment:** The product does not contain substances meeting the criteria for PBT or vPvB in accordance with Annex XIII, Regulation (EC) No 1907/2006 (REACH), as amended.
- 12.6 Other adverse effects: Not expected

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

**Substance disposal procedures**: Do not dispose of together with municipal waste. Do not dispose of waste through sewers. Waste, impaired product or unused/surplus product must be handed over to the person authorised for waste disposal according to the local law.

Waste Code: N 13 02 08, in sorbent: N 15 02 02

**Contaminated packaging disposal procedures**: The containers with product residua must be placed on the place specified by the municipal authorities or handed over to the person authorised for waste disposal.



According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 2015/830

Product name: KONKOR 222
Date of issue: 26. 05. 2008

Revision date: 8. 1. 2019 (Version 3.2)

Waste legislation: Directive 2008/98/EC

### **SECTION 14: TRANSPORT INFORMATION**

Nomenclature and labelling according to the European Agreement concerning the International Carriage of Dangerous Goods, Road (ADR)/Rail (RID)

ADR: Not regulated as a dangerous good RID: Not regulated as a dangerous good ADN: Not regulated as a dangerous good IATA-DGR: Not regulated as a dangerous good IMDG-Code: Not regulated as a dangerous good

14.1 UN Number: none, not regulated as a dangerous good

**14.2 UN proper shipping name:** none, not regulated as a dangerous good

14.3 Transport hazard class(es): none, not regulated as a dangerous good

14.4 Packing group: none, not regulated as a dangerous good

14.5 Environmental hazard: none14.6 Special precautions for user:

Petroleum liquids under the Act on the waters, as amended, considered dangerous because of the requirements of the quality of surface and groundwater when transporting large volumes necessary to follow the advice of Standard 75 3418.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: not applicable

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- ✓ Act No. 201/2012 Coll., on Clean Air Protection, as amended later, *incl. connected regulations and rules.*The product does not represent a volatile organic substance pursuant to Act N. 201/2012 Coll., as amended and relevant regulations of the Ministry of Environment.
- ✓ ČSN 65 0201 Flammable Liquids manufacturing, storage and handling premises According to ČSN 65 0201, the product is classified in the IV Flammability Class.
- ✓ ČSN 33 0371 Inexplosive electrical installation Explosive mixtures Classification and methods of testing According to ČSN 33 077, the product is classified in the T3 Thermal Class and IIA Explosive Class.
- ✓ Government Regulation No. 361/2007 Coll., by which the conditions of occupational health and safety are stipulated, as amended later.
- ✓ ČSN 75 3415 Protection of water against oil products. Premises for oil product handling and storage.
- ✓ Act No. 350/2011 Coll., on chemical substances and chemical preparations, and on amendments of some acts.
- ✓ Regulation (EU) No. 2015/830 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- ✓ Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures

### 15.2 Chemical safety assessment

The chemical safety assessment has been made for Base oil.

#### **SECTION 16: OTHER INFORMATION**

### Standard safety phrases (H-phrases) used in the safety data sheet:

EUH066 Repeated exposure may cause skin dryness or cracking.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

## Safe handling instructions (P-phrases) used in the safety data sheet:

P280 Wear protective gloves.

### Additional information on the label:

EUH 208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.



According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 2015/830

Product name: KONKOR 222
Date of issue: 26. 05. 2008

Revision date: 8. 1. 2019 (Version 3.2)

Abbreviations used in the safety data sheet

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

Aquatic Chronic Hazardous to the aquatic environment

Asp. Haz./Tox. Aspiration hazard / toxicity

Carc. Carcinogenicity

CAS Chemical Abstract Service

CLP Regulation of Classification, Labelling and Packaging

DNEL Derived no-effect level

EC<sub>50</sub> Half maximal effective concentration

EINECS European Inventory of Existing Commercial Chemical Substances

EC European Community number Eye Dam./Irrit. Eye Damage / Irritation

Flam. Liquid Flammable Liquid

IATA International Air Transport Association

IBC International regulation for Construction and Equipment of Ships carrying Dangerous

Chemicals in Bulk

IC<sub>50</sub> half maximal inhibitory concentration ICAO International Civil Aviation Organization

IMDG International Maritime Dangerous Goods Code ISO International Organization for Standardization

LC<sub>50</sub> / LD<sub>50</sub> Median lethal dose

LOAEC Measures of pollutant concentration
LOAEL Lowest-observed-adverse-effect level
Log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution from Ships

Mutagenicity

NOAEC Measures of pollutant concentration
NOAEL No-observed-adverse-effect level
NOEC No Observed Effect Concentration
NPK Highest admissible concentration

OECD TG OECD Guidelines for the Testing of Chemicals

PBT Persistent, bioaccumulative and toxic

PEL Acceptable Exposure Limit
PNEC Predicted no-effect concentration

ppm parts per million

REACH Europion Union Regulation for Registration, Evaluation, Authorisation and Restriction of

Chemicals

Repr. Reproductive toxicity

RID European treaty on the international transport of hazardous substances by rail

Skin Corr./Irrit./Sens. Skin Corrosion/ Irritation/ Sensitisation
STOT SE Specific target organ toxicity – single exposure
STOT RE Specific target organ toxicity – repeated exposure

UN The four-digit identification number of the substance or object taken from the UN Model

Regulations

UVCB Compounds of unknown or variable composition, complex reaction products or bio-

logical materials

VOC Volatile organic compounds

vPvB Highly persistent and highly bioaccumulative

### Other information important for the safety and health of humans

The product must not be used for any purpose other than those specified in sections 1 and 7 without the manufacturer's / importer's specific consent. The user is responsible for compliance with all relevant health protection regulations.

### **Training**

The user is obliged to get acquainted with the safety precautions relating to the product handling / treatment and complete applicable trainings at the workplace before he/she starts to work with the product.



According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 2015/830

Product name: KONKOR 222
Date of issue: 26. 05. 2008

Revision date: 8. 1. 2019 (Version 3.2)

### Information on changes

✓ The change (version 3.0) – Classification CLP

- ✓ The change (version 3.1) art. 1.2, 1.3, 1.4, 2.2, 3.2, 8.1, 9.1, 12.5, 14, 15.1, 16.
- ✓ The change (version 3.2) art. 1, 2, 3.2, 4.2, 8.1, 9.1, 11, 12, 13, 15, 16.

Statement: The Safety Data Sheet has been prepared in accordance with REACH Regulation (EC) No 1907/2006. It contains the data that are needed to ensure safety and health at work and environmental protection. These data do not replace the quality specification and cannot be considered as a guarantee of the suitability and usability of this product for a specific application. These data correspond to the current state of knowledge and experience and are in accordance with our valid legal regulations. The customer is responsible for compliance with the applicable regional legislation