

# **CUT BS 32**

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0

Issue date: 2025-04-09

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Chemical name/ trade name: CUT BS 32

Producer: OMA CZ, a.s

Address: Borová 103, 47127, Stráž pod Ralskem,

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use: Universal cutting and hydraulic oil

Uses advised against: The use should be limited to those listed above.

## 1.3 Details of the supplier of the safety data sheet

Supplier of SDS: OMA CZ, a.s

Address: Borová 103, 47127, Stráž pod Ralskem,

 Identification No.:
 25406761

 Tel:
 +420 487 851 637

 www:
 www.omacz.cz

Responsible person for this SDS: OMA CZ, a.s., laborator@omacz.cz

# 1.4 Emergency telephone number

Toxicology Information Centre, Na Bojišti 1, 120 00 Prague 2. Emergency telephone:+420 224 91 92 93 or +420 224 91 54 02, www.tis-cz.cz

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to the EC Regulation No. 1272/2008 (CLP):

The mixture is not classified as hazardous according to Regulation No. 1272/2008.

# 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard pictogram(s):

Signal word(s):

Hazard statement(s):

Precautionary statement(s):

Supplemental information:

None.

# 2.3 Other hazards

This product does not contain SVHC in a concentration of 0.1% by weight or higher.

This product does not contain endocrine disruptors in a concentration of 0.1% by weight or higher.

This product does not contain any substances which are classified as PMT in a concentration of 0.1% by weight or higher.

This product does not contain any substances which are classified as vPvM in a concentration of 0.1% by weight or higher.

This product does not contain any substances which are classified as PBT in a concentration of 0.1% by weight or higher.

This product does not contain any substances which are classified as vPvB in a concentration of 0.1% by weight or higher.

## **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures



# **CUT BS 32**

Version:

1.0

Issue date: 2025-04-09

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Name of the component	Content (weight %)	CAS EINECS Index N° Reg. Number	Classification a Regulation No. 1272/2	on (EC)
Distillates (petroleum), hydrotreated heavy paraffinic	< 98	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25-0000	Note L	-

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

For full text of H-statements see SECTION 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### 4.1.1 General advice:

In the event of an accident or if you feel unwell, seek medical attention immediately (show this BL or label if possible).

## 4.1.2 Inhalation:

Break Exposure. Remove victim to fresh air, keep calm and warm.

### 4.1.3 Skin contact:

Remove contaminated clothing and footwear. Wash the affected skin with water and soap. If there is irritation, seek medical attention.

### 4.1.4 Eye contact:

If the contact lenses are used, carefully remove them and start rinsing with clean water, the affected eye wide open, from the inner corner to the outside and also under the lid for at least 15 minutes. If problems persist, seek medical attention.

## 4.1.5 Ingestion:

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person or if it has cramps.

## 4.1.6 Protection of first aiders:

When providing first aid, it is essential to ensure both the rescue and the rescued safety.

## 4.2 Most important symptoms and effects, both acute and delayed

If first aid procedures are applied effectively, no acute or delayed symptoms or effects are expected.

## 4.3 Indication of any immediate medical attention and special treatment needed

Check the breathing and heart rate of the casualty. Do not induce vomiting.

Inducing vomiting and gastric lavage are contraindicated. Application of charcoal is ineffective. The casualty is continuously monitored for 48 to 72 hours. Monitoring for signs of pulmonary oedema begins 6 hours after ingestion or inhalation and continues for at least 48 to 72 hours.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media: Foam, extinguishing powder, CO2, water mist.
Unsuitable extinguishing media: Direct water flow - could cause fire to spread.

## 5.2 Special hazards arising from the substance or mixture

Combustion products and hazardous gases: smoke, carbon monoxide, carbon dioxide.

## 5.3 Advice for firefighters

Respiratory units exposed to smoke or vapors must be equipped with respiratory and eye protection devices. When using in enclosed areas, an insulating respirator must be used. Containers exposed to fire cool with water mist. Collect extinguishing water separately, and avoid its penetration into the soil and water. Chemical protective clothing (EN 469).

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures



# **CUT BS 32**

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0

Issue date: 2025-04-09

Wear PPE - suitable protective clothing, gloves and eye and face protection. Prevent contamination of clothing and footwear with product and contact with skin and eyes. Wear suitable protective clothing, replace contaminated clothing promptly. Larger spills may be covered with foam, if possible, to reduce the formation of vapours and aerosols. Remove all possible sources of ignition and flashover. Ensure ventilation of the affected area. Evacuate all persons not involved in the rescue work to a safe distance.

#### 6.2 **Environmental precautions**

Prevent leakage into the environment, avoid ingress into surface water and sewers, soil and land. In case of leakage into the sewage system or water course, inform immediately its administrator, the police, the fire brigade or the environmental department.

#### 6.3 Methods and material for containment and cleaning up

In case of leakage, localize and, if possible, absorb / remove mechanically. Residues or smaller amounts sweep / get absorbed into a suitable absorbent (universal sorbent, diatomaceous earth, soil, sand) and place in suitable containers and labeled for disposal transmit in accordance with applicable regulations.

### 6.4 Reference to other sections

See section 7, 8 a 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Use appropriate PPE. Use only in well-ventilated areas with fresh air intake or with adequate ventilation. Do not eat, drink, smoke. After working, wash your hands. Comply with regulations on health and safety at work.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original containers in a dry, cool and well-ventilated place. Do not store with food, drink or feed. Do not store with strong acids and bases. Recommended storage temperature < 40°C. Store away from heat, sparks, open flames. Protect from ingress of water and mechanical contaminants. Protect from light.

### 7.3 Specific end use(s)

See section 1.2.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

8.1.1 **Exposure limits:**  According to national legislation of target country.

Substance	CAS	Permissible exposure limits (mg/m³)	Maximum permissible concentration (mg/m³)	Note
Mineral oils	-	5	10	

## **Substances with Community Exposure Limits:**

Substance	CAS Limit values (mg/m³) OEL STEL	Note		
Substance		OEL		Note
No data available.				

## 8.1.2 **DNFL**

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

Exposed group and route of exposure	Duration of exposure	Type of effect	Unit	Value
Workers				



# **CUT BS 32**

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version:

1.0

Issue date:

2025-04-09

Inhalation	Long-term (chronic)	systemic	mg/m³	2.73
		local	mg/m³	5.58
Dermal	Long-term (chronic)	systemic	mg/kg bw/d	0.97
Consumers				
Oral	Long-term (chronic)	systemic	mg/kg bw/d	0.74

### **PNEC**

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

Component of the environment		PNEC	Unit	Value
Food chain	Predators	PNEC oral.	mg/kg food	9.33

## **Biological limit values**

Substance	CAS No:	Indicator	Limit Value
No data available.			

#### 8.2 **Exposure controls**

#### 8.2.1 **Technical measures**

Technical measures and appropriate work procedures take precedence over personal protective equipment. Observe the usual hygiene principles. Do not eat, drink, smoke. Before breaks and after work wash your hands with warm water and soap.

#### 8.2.2 Individual protection measures

## Respiratory protection:

If the exposure limits are exceeded, when using dust, fog, aerosol, use a suitable filter (type ABEK -EN 14387 - anti-gas and combined filters, type P -EN 143 - particle filters, type FFP3 / FFP2 - EN 149+A1 - Particle-based half masks; EN 142 - mouth masks).

# Hand protection:

Protective working gloves (EN 374). Observe the manufacturer's exact instructions, including the time of use. Replace damaged gloves.

## Eye / face protection:

Safety glasses with side-plates or facial shields (EN 166); eye and face protection for work use (EN ISO 16321).

## Skin protection:

Working clothes (EN ISO 13688) and footwear (EN ISO 20347 and ISO 20345). Protective clothing against liquid chemicals (EN 14605+A1). Protective clothing against chemicals (EN ISO 13034+A1; 13982-1;943-1+A1).

### Thermal hazards: 8.2.3

No data available.

#### 8.2.4 **Environmental exposure controls:**

Avoid unnecessary releases into the environment.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Property	Value	Method	Note
Physical state:	Liquid		
Colour:	Yellow		
Odour:	Characteristic		
Odour threshold:	No data available.		
pH:	No data available.		
Point of fluidity:	-30		
Boiling point or initial boiling point and	No data available.		
boiling range (°C):			
Flash point (°C):	200		
Evaporation rate:	No data available.		
Flammability (gases, liquids and solids):	No data available.		
Lower and upper explosion limit:	No data available.		



# **CUT BS 32**

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0

Issue date: 2025-04-09

Vapour pressure (20 °C):	No data available.	
Vapour pressure (50 °C):	No data available.	
Relative vapour density:	No data available.	
Density and/or relative density (g/cm³, 20 °C):	No data available.	
Solubility (20 °C):	Insoluble in water	
Partition coefficient n-octanol/water (log value):	No data available.	
Auto-ignition temperature (°C):	No data available.	
Decomposition temperature (°C):	No data available.	
Kinematic viscosity (mm <sup>2</sup> /s):	33,4 at 40 °C	
Refractive index (20 °C):	No data available.	
Oxidising properties:	No data available.	
Explosive properties:	No data available.	
Particle characteristics:	No data available.	

## 9.2 Other information

VOC: 0 %

Dry matter content: No data available.

Additional information: No data available.

## 9.2.1 Information with regard to physical hazard classes

The product has no physical hazards.

# 9.2.2 Other safety characteristics

No data available.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Not expected under proper conditions of use.

# 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Dangerous reactions are not known.

## 10.4 Conditions to avoid

Heat to high temperatures, presence of ignition sources, contact with open flames.

## 10.5 Incompatible materials

Strong oxidizing agents.

# 10.6 Hazardous decomposition products

None under normal conditions, possible formation of carbon monoxide when burning in lack of air.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Individual components:

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

**Acute toxicity** 

Test type	Results	Exposure	Tested organisms
OECD 401, key study	> 5 000 mg/kg bw, LD50	oral: gavage	rat
OECD 402, key study	> 5 000 mg/kg bw, LD50	dermal	rabbit
OECD 403, key study	2.18 mg/L air	inhalation: aerosol	rat

## Serious eye damage / irritation

Test type	Results	Exposure	Tested organisms
OECD 405, key study	not irritating	Eye	rabbit



# **CUT BS 32**

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0

Issue date: 2025-04-09

## Skin corrosion / irritation

Test type	Results	Exposure	Tested organisms
OECD 404, key study	study cannot be used for	Skin	rabbit
	classification		

# Respiratory or skin sensitisation

Test type	Results	Exposure	Tested organisms
OECD 406, key study	not sensitising	Skin	guinea pig

## STOT - repeated exposure

Test type	Results	Exposure	Tested organisms
OECD 408, key study	125 mg/kg bw/day (nominal), NOAEL	oral	rat
OECD 412, key study	ca. 220 mg/m³ air (analytical), NOEC > 980 mg/m³ air (analytical), NOAEC	inhalation	rat
OECD 411, key study	>= 2 000 mg/kg bw/day (nominal), NOAEL	dermal	rat

## Carcinogenicity

Test type	Results	Exposure	Tested organisms
OECD 451, key study	non-carcinogenic, other:	dermal	mouse

## Germ cell mutagenicity

Results	Exposure	Tested organisms
negative	oral gavage or	mouse
	intraperitoneal	
	injection	
		negative oral gavage or intraperitoneal

# Reproductive toxicity

Test type	Results	Exposure	Tested organisms
OECD 421, key study	>= 1 000 mg/kg bw/day, NOAEL	oral: gavage	rat
	>= 1 000 mg/kg bw/day, NOAEL		

## Mixture:

Acute toxicity: The product does not meet the criteria for classification. Serious eye damage / irritation: The product does not meet the criteria for classification. The product does not meet the criteria for classification. Skin corrosion / irritation: Respiratory or skin sensitisation: The product does not meet the criteria for classification. STOT - single exposure: The product does not meet the criteria for classification. STOT - repeated exposure: The product does not meet the criteria for classification. Carcinogenicity: The product does not meet the criteria for classification. Germ cell mutagenicity: The product does not meet the criteria for classification. Reproductive toxicity: The product does not meet the criteria for classification.

Aspiration hazard: The product does not meet the criteria for classification.

## 11.2 Information on other hazards



# **CUT BS 32**

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0

Issue date:

2025-04-09

# **Endocrine disrupting properties**

This product does not contain endocrine disruptors in a concentration of 0.1% by weight or higher.

### Other information

No data available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

The product does not meet the criteria for classification.

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

Toxicity	Tested organisms	Results	Test type
Acute toxicity to fish	Pimephales promelas	> 100 mg/L, LL50 / 96 h >= 100 mg/L, NOEL: / 96 h	OECD 203
Acute toxicity to invertebrates	Daphnia magna	> 10 000 mg/L, EL50 / 24 h > 10 000 mg/L, EL50 / 48 h >= 10 000 mg/L, NOEL: / 48 h	OECD 202
Acute toxicity to aquatic algae	Raphidocelis subcapitata	>= 100 mg/L, NOEL: / 72 h >= 100 mg/L, NOEL: / 72 h	OECD 201

### 12.2 Persistence and degradability

There is no data available for the product.

Biotic degradation: Data are not available for substances.

#### 12.3 **Bioaccumulative potential**

There is no data available for the product.

log Kow / log Pow: Data are not available for substances.

Bioaccumulation: Data are not available for substances.

#### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

This product does not contain any substances which are classified as PBT or vPvB in a concentration of 0.1% by weight or higher.

#### 12.6 **Endocrine disrupting properties**

This product does not contain endocrine disruptors in a concentration of 0.1% by weight or higher.

#### 12.7 Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

## 13.1.1 Catalogue No. of substance/mixture waste:

13 01 10 Mineral based non-chlorinated hydraulic oils

15 02 02 Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

## 13.1.2 Catalog No. of packaging waste:

15 01 10 packaging containing residues of or contaminated by hazardous substances

## 13.1.3 Recommended procedure for substance/mixture waste disposal:

No data available.

## 13.1.4 Recommended procedure for packaging disposal:

Empty containers must be disposed of in accordance with the applicable waste legislation. After perfect cleaning, the packaging can be used as a secondary raw material for the same purpose. Recommended way of disposing of recycling, burning in a hazardous waste incinerator or storing hazardous waste.

## 13.1.5 Physical / chemical properties that may affect waste treatment method:

No data available.



# **CUT BS 32**

Version:
----------

Issue date:

1.0

2025-04-09

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

13.1.6 Sewage disposal-relevant information:

Protect against weathering. Prevent leakage of waste into the water / soil / sewage system. In case of leakage, inform the competent authorities.

## 13.1.7 Other disposal recommendations:

Dispose of in accordance with applicable legislation.

## **SECTION 14: Transport information**

	Type of transport	Land transport ADR / RID	Sea transport IMDG	Air Transport ICAO / IATA
14.1	UN number or ID number	There is no dangerous good in terms of transport.	There is no dangerous good in terms of transport.	There is no dangerous good in terms of transport.
14.2	UN proper shipping name			
14.3	Transport hazard class(es)			
	Hazard identification number	-	-	-
	Classification code / EmS	-		-
	Labels			
14.4	Packing group			

# 14.5 Environmental hazards

Yes.

# 14.6 Special precautions for user

No data available.

## 14.7 Maritime transport in bulk according to IMO instruments

Not specified.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

all as amended and including implementing regulations

Regulation (EC) No. 1272/2008 (CLP) on classification, labelling and packaging of substances and mixtures,...

Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),...

Applicable national regulations.

The product contains substance Distillates (petroleum), hydrotreated heavy paraffinic, that is included in Annex XVII. of REACH Regulation.

# 15.2 Chemical safety assessment

Chemical safety assessment hasn't been made.

## **SECTION 16: Other information**

# Complete text of all classifications and hazard classes referred to in SECTION 3:

## Abbreviations

ADR Accord Dangereuses Route
CAS Chemical Abstracts Service



# **CUT BS 32**

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2020/878

Version: 1.0

Issue date: 2025-04-09

DNEL Derived no-effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EL50 Effect level for 50%

IATA International Air Transport Association
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods

LD50 Lethal dose for 50% LL50 Lethal load for 50%

NOAEC No observable adverse effect concentration

NOAEL No observable adverse effect level

NOEC No observable effect concentration

MPC Maximum permissible concentration

OEL Occupational Exposure Limit (workplace exposure limit - 8 hours / shift)

PBT Persistent, bioacumulative and toxic

PEL Permissible exposure limits
PNEC Predicted no-effect concentration

RID Regulations for the International Carriage of Dangerous Goods by Rail
STEL Short Term Exposure Limit (short exposure - corresponds to approx. 15 min.)

VOC Volatile organic Compounds

vPvB Very persistent and very bioacumulative

WGK Hazard classes for water (Wassergefährdungsklassen)

TRGS German standard for the storage of hazardous substances (Technische Regeln für Gefahrstoffe)

## Changes to previous version SDS:

New SDS based on Commission Regulation (EU) 2020/878. The classification has been performed by calculation method.

## Instructions for training

Workers who come into contact with dangerous substances must be aware of the effects of these substances, how they are treated, and protective measures to the extent necessary. Furthermore, they must be familiar with the first aid principles, with the necessary sanitation procedures and with the procedures for disaster and accident elimination. The person handling this chemical product must be familiar with the safety rules and the data given in the safety data sheet.

## Other information

The above information describes the conditions for safe handling of the product and corresponds to the current knowledge of the manufacturer and serves as instruction for the training of the persons handling the product.

The manufacturer carries guarantee the above-described properties of the product at the recommended use.

The user is responsible for determining the suitability of the product for specific purposes and adapting security measures if such application is contrary to the manufacturer's recommendations.